


**ARCHIVED POLLUTION MONITORING DATA  
FROM 31 MARCH 2012 - PRESENT**

**Jerilderie Sewerage Treatment Works**



**Environment Protection Licence No. 1692**

Link to full licence on EPA website: [Jerilderie Licence 1692](#)

**Licensee:** Murrumbidgee Council

**Licensee's Address:** PO Box 96, Jerilderie NSW 2716

**Facility Address:** Wilson Road, Jerilderie NSW 2716

**Date Sample:** 5 December 2023  
**Date Obtained:** 11 December 2023  
**Date Published:** 21 December 2023

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	22	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	10	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	672	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	8	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	1	10
<b>pH</b>	Milligrams per litre	Quarterly	9.5	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	1.89	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	6	30

#### Monitoring Point 4

**Date Sample:** 20 September 2023  
**Date Obtained:** 25 September 2023  
**Date Published:** 25 October 2023

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	21	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	16	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	1080	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	12	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	1	10
<b>pH</b>	Milligrams per litre	Quarterly	6.7	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	9.87	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	64	30

#### Monitoring Point 4

**Date Sample:** 13 June 2023  
**Date Obtained:** 15 June 2023  
**Date Published:** 11 July 2023

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	4	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	112	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	1130	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	10	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	1	10
<b>pH</b>	Milligrams per litre	Quarterly	7.3	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	9.16	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	41	30

#### Monitoring Point 4

**Date Sample:** 14 March 2023

**Date Obtained:** 20 April 2023

**Date Published:** 5 May 2023

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	24	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	63000	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	1080	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	12	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	27	10
<b>pH</b>	Milligrams per litre	Quarterly	7.3	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	10.4	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	33	30

#### Monitoring Point 4

**Date Sample:** 06 December 2022

**Date Obtained:** 07 December 2022

**Date Published:** 10 January 2022

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	16	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	24400	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	812	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	12	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	2	10
<b>pH</b>	Milligrams per litre	Quarterly	8.1	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	5.31	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	30	30

#### Monitoring Point 4

**Date Sample:** 20 September 2022

**Date Obtained:** 21 September 2022

**Date Published:** 22 September 2022

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	72	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	8	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	1050	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	57	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	3	10
<b>pH</b>	Milligrams per litre	Quarterly	7.9	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	9.13	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	59	30

#### Monitoring Point 4

**Date Sample:** 14 June 2022

**Date Obtained:** 9 July 2022

**Date Published:** 19 July 2022

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	54	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	1480000	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	1200	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	62	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	2	10
<b>pH</b>	Milligrams per litre	Quarterly	7.00	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	7.85	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	88	30

#### Monitoring Point 4

**Date Sample:** 12 April 2022

**Date Obtained:** 14 April 2022

**Date Published:** 25 May 2022

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	29	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	1600	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	895	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	45	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	1	10
<b>pH</b>	Milligrams per litre	Quarterly	7.3	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	6.74	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	32	30

#### Monitoring Point 4

**Date Sample:** 11 January 2022

**Date Obtained:** 16 February 2022

**Date Published:** 29 April 2022

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	9	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	1640	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	898	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	25	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	2	10
<b>pH</b>	Milligrams per litre	Quarterly	7.2	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	6.54	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	40	30

#### Monitoring Point 4

**Date Sample:** 8 December 2021

**Date Obtained:** 21 December 2021

**Date Published:** 23 December 2021

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	21	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	211000	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	910	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	27	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	3	10
<b>pH</b>	Milligrams per litre	Quarterly	7.5	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	6.31	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	27	30

#### Monitoring Point 4

**Date Sample:** 25 May 2021

**Date Obtained:** 21 July 2021

**Date Published:** 22 July 2021

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	35	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	356000	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	960	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	48	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	5	10
<b>pH</b>	Milligrams per litre	Quarterly	7.5	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	9.22	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	48	30

#### Monitoring Point 4

**Date Sample:** 22 December 2020

**Date Obtained:** 23 December 2020

**Date Published:** 3 March 2021

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	19	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	222000	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	994	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	53	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	3	10
<b>pH</b>	Milligrams per litre	Quarterly	7.6	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	7.46	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	34	30

#### Monitoring Point 4

**Date Sample:** 20 October 2020

**Date Obtained:** 6 November 2020

**Date Published:** 19 November 2020

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	7	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	111	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	848	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	7	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	1	10
<b>pH</b>	Milligrams per litre	Quarterly	8	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	12.4	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	135	30

#### Monitoring Point 4

**Date Sample:** 23 June 2020

**Date Obtained:** 24 July 2020

**Date Published:** 29 July 2020

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	16	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	260000	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	881	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	34	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	5	10
<b>pH</b>	Milligrams per litre	Quarterly	6.9	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	8.10	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	123	30

#### Monitoring Point 4

**Date Sample:** 7 April 2020

**Date Obtained:** 4 May 2020

**Date Published:** 5 May 2020

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	49	20
<b>Faecal Coliforms</b>	Cfu/100mL	Quarterly	2000000	
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	735	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	39	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	2	10
<b>pH</b>	Milligrams per litre	Quarterly	7.6	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	5.4	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	36	30

#### Monitoring Point 4

**Date Sample:** 28 January 2020

**Date Obtained:** 29 January 2020

**Date Published:** 13 March 2020

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
Biochemical Oxygen Demand	Milligrams per litre	Quarterly	40	20
Faecal Coliforms	Cfu/100mL	Quarterly	81000	
Conductivity	Microsiemens per centimetre	Quarterly	985	
Nitrogen (total)	Milligrams per litre	Quarterly	43	
Oil and Grease	Milligrams per litre	Quarterly	9	10
pH	Milligrams per litre	Quarterly	7.5	
Phosphorus (total)	Milligrams per litre	Quarterly	7.59	
Total Suspended Solids	Milligrams per litre	Quarterly	80	30

#### Monitoring Point 4

**Date Sample:** 19 November 2019

**Date Obtained:** 20 November 2019

**Date Published:** 5 January 2020

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
Biochemical Oxygen Demand	Milligrams per litre	Quarterly	34	20
Faecal Coliforms	Cfu/100mL	Quarterly	<1	
Conductivity	Microsiemens per centimetre	Quarterly	890	
Nitrogen (total)	Milligrams per litre	Quarterly	49	
Oil and Grease	Milligrams per litre	Quarterly	8	10
pH	Milligrams per litre	Quarterly	7.7	
Phosphorus (total)	Milligrams per litre	Quarterly	10.5	
Total Suspended Solids	Milligrams per litre	Quarterly	40	30

**Date Sample:** 8 October 2019

**Date Obtained:** 14 October 2019

**Date Published:** 19 October 2019

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
Biochemical Oxygen Demand	Milligrams per litre	Quarterly	<2	20
Conductivity	Microsiemens per centimetre	Quarterly		
Nitrogen (total)	Milligrams per litre	Quarterly	2	
Oil and Grease	Milligrams per litre	Quarterly	3	10
pH	Milligrams per litre	Quarterly	7.8	
Phosphorus (total)	Milligrams per litre	Quarterly	7.98	
Total Suspended Solids	Milligrams per litre	Quarterly	7	30

**Date Sample:** 19 June 2019  
**Date Obtained:** 20 June 2019  
**Date Published:** 5 July 2019

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	<2	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	655	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	I/S	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	<1	10
<b>pH</b>	Milligrams per litre	Quarterly	8.5	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	I/S	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	I/S	30

#### Monitoring Point 4

**Date Sample:** 19 May 2019  
**Date Obtained:** 22 May 2019  
**Date Published:** 6 June 2019

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	40	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	903	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	49	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	11	10
<b>pH</b>	Milligrams per litre	Quarterly	7.5	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	8.28	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	52	30

#### Monitoring Point 4

**Date Sample:** 19 March 2019  
**Date Obtained:** 26 March 2019  
**Date Published:** 16 April 2019

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	43	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	772	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	34	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	10	10
<b>pH</b>	Milligrams per litre	Quarterly	7.4	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	5.12	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	30	30



#### Monitoring Point 4

**Date Sample:** 26 February 2019  
**Date Obtained:** 26 February 2019  
**Date Published:** 12 March 2019

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	18	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	1020	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	14	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	4	10
<b>pH</b>	Milligrams per litre	Quarterly	7.6	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	7.76	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	695	30

#### Monitoring Point 4

**Date Sample:** 21 August 2018  
**Date Obtained:** 21 August 2018  
**Date Published:** 11 September 2018

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	<2	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	860	
<b>Faecal Coliforms</b>	Colony forming units per 100 millilitres	Quarterly	70	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	15	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	2	10
<b>pH</b>	Milligrams per litre	Quarterly	7.9	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	8.85	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	20	30

#### Monitoring Point 4

**Date Sample:** 20 March 2018  
**Date Obtained:** 20 March 2018  
**Date Published:** 13 April 2018

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	58	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	1040	
<b>Faecal Coliforms</b>	Colony forming units per 100 millilitres	Quarterly		
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	32	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	1	10
<b>pH</b>	Milligrams per litre	Quarterly	7.8	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	9.3	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	276	30

#### Monitoring Point 4

**Date Sample:** 21 November 2017  
**Date Obtained:** 21 November 2017  
**Date Published:** 14 December 2017

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	6	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	1210	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	9	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	<1	10
<b>pH</b>	Milligrams per litre	Quarterly	7.6	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	15.7	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	33	30

#### Monitoring Point 4

**Date Sample:** 5 September 2017  
**Date Obtained:** 19 September 2017  
**Date Published:** 3 October 2017

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	7	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	1050	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	31	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	<1	10
<b>pH</b>	Milligrams per litre	Quarterly	7.7	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	9.18	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	13	30

#### Monitoring Point 4

**Date Sample:** 2 May 2017  
**Date Obtained:** 15 May 2017  
**Date Published:** 2 June 2017

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	29	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	827	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	40	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	13	10
<b>pH</b>	Milligrams per litre	Quarterly	7.5	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	6.76	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	29	30

#### Monitoring Point 4

**Date Sample:** 14 March 2017

**Date Obtained:** 22 March 2017

**Date Published:** 24 March 2017

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
Biochemical Demand	Oxygen Milligrams per litre	Quarterly	33 *	20
Conductivity	Microsiemens per centimetre	Quarterly	1470	
Nitrogen (total)	Milligrams per litre	Quarterly	20	
Oil and Grease	Milligrams per litre	Quarterly	4	10
pH	Milligrams per litre	Quarterly	8.1	
Phosphorus (total)	Milligrams per litre	Quarterly	8.55	
Total Suspended Solids	Milligrams per litre	Quarterly	574*	30

\* Alternative sampling point used and site cleaned two days prior to testing accounts for TSS & BOD levels being high.

#### Monitoring Point 4

**Date Sample:** 30 August 2016

**Date Obtained:** 13 September 2016

**Date Published:** 16 September 2016

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
Biochemical Demand	Oxygen Milligrams per litre	Quarterly	4	20
Conductivity	Microsiemens per centimetre	Quarterly	656	
Nitrogen (total)	Milligrams per litre	Quarterly	9	
Oil and Grease	Milligrams per litre	Quarterly	3	10
pH	Milligrams per litre	Quarterly	7.7	
Phosphorus (total)	Milligrams per litre	Quarterly	7.33	
Total Suspended Solids	Milligrams per litre	Quarterly	9	30

#### Monitoring Point 4

**Date Sample:** 30 August 2016

**Date Obtained:** 13 September 2016

**Date Published:** 16 September 2016

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
Biochemical Demand	Oxygen Milligrams per litre	Quarterly	4	20
Conductivity	Microsiemens per centimetre	Quarterly	656	
Nitrogen (total)	Milligrams per litre	Quarterly	9	
Oil and Grease	Milligrams per litre	Quarterly	3	10
pH	Milligrams per litre	Quarterly	7.7	
Phosphorus (total)	Milligrams per litre	Quarterly	7.33	
Total Suspended Solids	Milligrams per litre	Quarterly	9	30

#### Monitoring Point 4

**Date Sample:** 17 May 2016

**Date Obtained:** 17 May 2016

**Date Published:** 10 June 2016

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Demand</b> <b>Oxygen</b>	Milligrams per litre	Quarterly	12	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	771	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	12	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	1	10
<b>pH</b>	Milligrams per litre	Quarterly	7.6	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	13.6	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	118	30

#### Monitoring Point 4

**Date Sample:** 22 March 2016

**Date Obtained:** 22 March 2016

**Date Published:** 10 June 2016

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Demand</b> <b>Oxygen</b>	Milligrams per litre	Quarterly	13	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	993	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	5	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	2	10
<b>pH</b>	Milligrams per litre	Quarterly	8.4	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	7.19	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	91	30

#### Monitoring Point 4

**Date Sample:** 1 December 2015

**Date Obtained:** 11 December 2015

**Date Published:** 11 December 2015

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Demand</b> <b>Oxygen</b>	Milligrams per litre	Quarterly	22	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	1220	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	10	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	1	10
<b>pH</b>	Milligrams per litre	Quarterly	8.3	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	14.2	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	168	30

#### Monitoring Point 4

**Date Sample:** 18 August 2015

**Date Obtained:** 18 August 2015

**Date Published:** 1 September 2015

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Demand</b> <b>Oxygen</b>	Milligrams per litre	Quarterly	3	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	733	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	15	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	1	10
<b>pH</b>	Milligrams per litre	Quarterly	7.9	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	8.23	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	49	30

#### Monitoring Point 4

**Date Sample:** 9 June 2015

**Date Obtained:** 9 June 2015

**Date Published:** 30 June 2015

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Demand</b> <b>Oxygen</b>	Milligrams per litre	Quarterly	2	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	731	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	9	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	2	10
<b>pH</b>	Milligrams per litre	Quarterly	8.0	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	9.41	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	65	30

#### Monitoring Point 4

**Date Sample:** 14 April 2015

**Date Obtained:** 15 April 2015

**Date Published:** 27 April 2015

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Demand</b> <b>Oxygen</b>	Milligrams per litre	Quarterly	11	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	311	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	3	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	2	10
<b>pH</b>	Milligrams per litre	Quarterly	7.2	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	3.83	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	292	30

#### Monitoring Point 4

**Date Sample:** 15 January 2015

**Date Obtained:** 20 January 2015

**Date Published:** 3 February 2015

Pollutant	Unit	Monitoring frequency required by licence	Measurement	Licence Limits
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	47	20
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	775	
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	40	
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	15	10
<b>pH</b>	Milligrams per litre	Quarterly	7.9	
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	6.88	
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	43	30

#### Monitoring Point 4

**Date Sample:** 14 September 2014

**Date Obtained:** 23 September 2014

**Date Published:** 7 October 2014

Pollutant	Unit	Monitoring frequency required by licence	Measurement
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	74
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	896
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	47
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	18
<b>pH</b>	Milligrams per litre	Quarterly	7.7
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	7.34
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	51

#### Monitoring Point 4

**Date Sample:** 3 June 2014

**Date Obtained:** 17 June 2014

**Date Published:** 18 June 2014

Pollutant	Unit	Monitoring frequency required by licence	Measurement
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	70
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	997
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	27
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	12
<b>pH</b>	Milligrams per litre	Quarterly	7.9
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	5.21
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	60

#### Monitoring Point 4

**Date Sample:** 8 April 2014

**Date Obtained:** 28 April 2014

**Date Published:** 29 April 2014

Pollutant	Unit	Monitoring frequency required by licence	Measurement
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	47
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	684
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	38
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	8
<b>pH</b>	Milligrams per litre	Quarterly	7.5
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	6.34
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	41

#### Monitoring Point 4

**Date Sample:** 14 November 2013

**Date Obtained:** 27 November 2013

**Date Published:** 3 December 2013

Pollutant	Unit	Monitoring frequency required by licence	Measurement
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	29
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	866
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	43
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	6
<b>pH</b>	Milligrams per litre	Quarterly	7.5
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	5.88
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	32

#### Monitoring Point 4

**Date Sample:** 29 August 2013

**Date Obtained:** 12 September 2013

**Date Published:** 18 September 2013

Pollutant	Unit	Monitoring frequency required by licence	Measurement
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	100
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	1000
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	46
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	24
<b>pH</b>	Milligrams per litre	Quarterly	7.8
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	7.67
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	73

#### Monitoring Point 4

**Date Sample:** 16 May 2013

**Date Obtained:** 27 May 2013

**Date Published:** 21 May 2013

Pollutant	Unit	Monitoring frequency required by licence	Measurement
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	61
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	738
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	42
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	2
<b>pH</b>	Milligrams per litre	Quarterly	7.3
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	5.99
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	54

#### Monitoring Point 4

**Date Sample:** 21 March 2013

**Date Obtained:** 4 April 2013

**Date Published:** 8 April 2013

Pollutant	Unit	Monitoring frequency required by licence	Measurement
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	31
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	839
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	33
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	17
<b>pH</b>	Milligrams per litre	Quarterly	7.2
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	5.99
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	34

#### Monitoring Point 4

**Date Sample:** 14 November 2012

**Date Obtained:** 27 November 2012

**Date Published:** 4 December 2012

Pollutant	Unit	Monitoring frequency required by licence	Measurement
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	71
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	914
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	51
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	1
<b>pH</b>	Milligrams per litre	Quarterly	7.7
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	7.2
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	43



#### Monitoring Point 4

**Date Sample:** 16 August 2012

**Date Obtained:** 28 August 2012

**Date Published:** 31 August 2012

Pollutant	Unit	Monitoring frequency required by licence	Measurement
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	100
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	1020
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	47
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	20
<b>pH</b>	Milligrams per litre	Quarterly	8.0
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	8.4
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	64

#### Monitoring Point 4

**Date Sample:** 20 June 2012

**Date Obtained:** 3 July 2012

**Date Published:** 5 July 2012

Pollutant	Unit	Monitoring frequency required by licence	Measurement
<b>Biochemical Oxygen Demand</b>	Milligrams per litre	Quarterly	101
<b>Conductivity</b>	Microsiemens per centimetre	Quarterly	1090
<b>Nitrogen (total)</b>	Milligrams per litre	Quarterly	83
<b>Oil and Grease</b>	Milligrams per litre	Quarterly	17
<b>pH</b>	Milligrams per litre	Quarterly	7.6
<b>Phosphorus (total)</b>	Milligrams per litre	Quarterly	8.04
<b>Total Suspended Solids</b>	Milligrams per litre	Quarterly	54